



AQUA ALTO.


Data Sheet

Hydration in colour.

Boiling, chilled, and sparkling water. The POWER OF THREE.

And don't forget the colour. What colour? Any colour! Great look. No queues.


A **BRITVIČ** PLATFORM



THE POWER OF THREE.

Three taps and one base unit to reduce queues.

- Multiple taps can be used on one system to reduce queues
- Sleek design available in any colour
- Patented boiler design gives high volumes of boiling water
- Installed in modular form to fit into the tightest of spaces
- Perfect water flow with zero splash
- Plumbed-to-waste flush-fitting drip tray
- Preset fill volumes for any vessel and free flow options available
- Designed to fill water bottles without the need for font extension
- Equality Act compliant controls available



CHOOSE ANY RAL COLOUR



CAPACITY



BOILING

PER HOUR



CHILLED / SPARKLING / AMBIENT

PER HOUR

High

up to **45** litres or **180** cups

45 litres or **180** glasses

Ultra high

up to **90** litres or **180** flask/tea pots

45 litres or **240+** glasses

*Based on the following measurements: 1 cup/glass = 250ml & 1 flask/tea pot = 500ml

TALK TO US

London showroom: 1 New Street, London, EC2M 4TP

www.aqualibra.com | 0800 080 6696 | hello@aqualibra.com

PRE-INSTALLATION REQUIREMENTS



1

WATER.

No. 1 x Potable cold mains water supply terminating in a 15mm Ballofix isolation valve.

2

POWER.


No. 3 x 220 - 240V ac 50Hz
Single switched 13A power sockets.

3


WASTE.

No. 1 x 40mm upstand trapped waste supply.


Please note, the back panel must be removed before installation.
Visit www.aqualibra.com/ventilation for all ventilation options.



Aqua Alto - BC Full Installation



Aqua Alto- CS Full Installation



Aqua Alto - BCS Full Installation

